This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

- 1.-4 (Cancelled)
- 5. (Withdrawn)
- 6. (Withdrawn)
- 7. -8 (Cancelled)
- 9. (Currently amended) <u>A method Method of treating a CD137 expressing</u> tumor in a patient comprising administering to a patient in need thereof an effective amount of a CD137 antagonist.
- 10. (Currently Amended) <u>A method Method according to claim 9</u> wherein the CD137 antagonist is selected from the group consisting of a CD137-specific antibody, <u>a peptide</u>, <u>an</u> organic small molecule, <u>an</u> antisense oligonuclotide, <u>a</u> siRNA, <u>an</u> antisense expression vector or <u>a</u> recombinant virus.
- 11. (Currently Amended) <u>A method Method</u> according to claim 9 wherein the tumor is a B cell lymphoma, <u>a</u> tumor of the vulva, <u>a</u> nephroblastoma, <u>a</u> cystadenocarcinoma of the ovary, <u>a</u> rhabdomysarcoma, <u>a</u> leiomyosarcoma, <u>a</u> fibrosarcoma, <u>an</u> immunocytoma, <u>a</u> non-Hodgkin lymphoma, <u>a</u> carcinoma of the portio uteri or a basal cell carcinoma.
- 12. (Currently amended) <u>A method Method</u> according to claim 11 wherein the B cell lymphoma is chronic lymphocytic <u>leukemia</u> <del>leukaemia</del>.
- 13. (Withdrawn-Currently Amended) Use of CD137 or a functional analogue or derivative thereof for the preparation of a medicament A method for the

treatment of eonditions a condition characterised by undesired or overactive immune responses comprising administering to a patient having a condition characterised by undesired or overactive immune response a therapeutically effective amount of a medicament comprising CD137 or a functional analogue or derivative thereof.

- 14. (Withdrawn-Currently Amended) Use A method according to claim 13 wherein the CD137 or functional analogue or derivative is encoded by a nucleic acid comprising a nucleotide sequence having at least 90% homology to the coding sequence shown in Fig. 8A SEQ. ID No. 1.
- 15. (Withdrawn-Currently amended) Use A method according to claim 14 wherein the CD137 has the amino acid sequence shown in Fig. 8B-SEQ. ID No. 2.
- 16. (Withdrawn-Currently Amended) Use A method according to claim 13 wherein the condition is selected from an autoimmune disease, an allergy, diseases, allergies, asthma and or an organ transplant rejection.
- 17. (Withdrawn-Currently Amended) Use A method of an agonistic anti CD137 ligand antibody for the preparation of a medicament for the treatment of conditions a condition characterised by an undesired or overactive immune response responses comprising admixing an agonistic anti-CD137 ligand antibody with a pharmaceutically acceptable carrier.
- 18. (Withdrawn-Currently Amended) Use A method according to claim 17 wherein the condition is selected from autoimmune diseases, allergies, asthma and organ transplant rejection an autoimmune disease, an allergy, asthma or an organ transplant rejection.

- 19. (Withdrawn-Currently Amended) A method Method for treating a patient suffering from a condition characterised by <u>an</u> undesired or overactive immune responses response comprising administering an effective amount of CD137 or a functional analogue or derivative thereof and/or an agonistic anti-CD137 ligand antibody.
- 20. (Withdrawn-Currently Amended) <u>A method Method</u> of claim 19 wherein the CD137 or functional analogue or derivative thereof is encoded by a nucleic acid comprising a nucleotide sequence having at least 90% homology to the coding sequence shown in <u>Fig. 8A-SEQ. ID No. 1</u>.
- 21. (Withdrawn-Currently Amended) <u>A method Method</u> of claim 19 wherein the condition is selected from an autoimmune disease diseases, an allergy allergies, asthma and or an organ transplant rejection.
- 22. (Currently amended) A method Method according to claim 9 wherein the CD137 antagonist is an antibody directed to at least one epitope of the amino acid sequence of human CD137 shown in Fig. 8B SEQ. ID No. 2.
- 23. (Currently amended) <u>A method Method</u> according to claim 9 wherein the CD137 antagonist is clone BBK- 2 or clone 4B4-1
  - 24. (Withdrawn-Currently Amended) <u>A method</u> according to claim 9 wherein the CD137 antagonist is the antisense expression vector RSV-ILA-AS.
  - 25. (Withdrawn-Currently Amended) A method Method according to claim 9 wherein the CD137 antagonist is selected from the group consisting of a CD137 ligand-specific antibody, a peptide, an organic small molecule, an antisense

oligonucleotide, <u>a</u> siRNA, <u>an</u> antisense expression vector or <u>a</u> recombinant virus.

26. (Withdrawn-Currently Amended) <u>A method Method</u> of claim 20 wherein the CD137 has the amino acid sequence shown in Fig. 8B SEQ. ID No. 2.